



NOTICE OF PRODUCT CERTIFICATION

Company: Nan Ya Plastics Corporation
8989 North Loop East
Houston, TX 77029

Certification No.: NI010145 Page 1
Certification Date: 03/01/2010
Expiration Date: 11/30/2013

Product: Series 8'0" Three-Quarter Lite Side Hinged Fiberglass Patio Door w/ or w/o Sidelite (PVC Frame)

Specifications Tested To: AAMA/WDMA/CSA 101/I.S.2/NAFS-02/ASTM E330-02/ASTM E1886-05/E1996-05
Qualified Glazing: IG: 1/8" Tempered Glass/Laminate-1/8" Annealed Glass/0.090"PVB Interlayer/1/8" Annealed Glass

The "Notice of Product Certification" is only valid if the NAMI Certification Label has been applied to the product as described within this document. The certification label represents product conformity to the applicable specification and that all certification criteria has been satisfied. This product has been approved for listing within NAMI's Certified Product Listing at www.Namicertification.com. NAMI's Certification Program is accredited by The American National Standards Institute (ANSI).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg (psf)	Missile Impact Rated	Test Report Number & Comments
X Single	O/S	Glazed	3'0" x 8'0"	+50/-50 HGD-R50	Yes	CTLA 1987W/CTLA 1907W Maximum Glazing DLO: 25.25" x 63.25"
XX Double	O/S	Glazed	5'11" x 8'0"	+50/-50 HGD-R50	Yes	CTLA 1987W/CTLA 1907W Maximum Glazing DLO: 25.25" x 63.25"
OX/XO Single Door w/Sidelite	O/S	Glazed	5'11" x 8'0"	+50/-50 HGD-R50	Door-Yes Sidelite-Yes	CTLA 1987W/CTLA 1907W Maximum Glazing DLO: 25.25" x 63.25"
OXX Double Door w/Sidelites	O/S	Glazed	8'10" x 8'0"	+50/-50 HGD-R50	Door-Yes Sidelite-Yes	CTLA 1987W/CTLA 1907W Maximum Glazing DLO: 25.25" x 63.25"

National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072
Tel: (804) 684-5124/Fax: (804) 684-5122

NAMI AUTHORIZED SIGNATURE: _____